




DEC 19 2008

DEC 19 2008

**OLD OUTLET DESIGNATION:**

EFFLUENT METER READING LAST DAY	
T	1000

[illegible]

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE		TELEPHONE NUMBER
	Carol Paiz General Manager		973-345-3503
			12/10/2008



## Abuelito Cheese Process Water Meter Reading

11/01/08 starting water meter reading 541467 cu/ft

11/30/08 ending meter reading 560680 cu/ft

560680

541467

19213 cu/ft

19213cu/ft x 7.48=143713 x.95=136527 total gallons for  
the month of November

136527 divided by 22 days= 6205 gallons per day

Abuelito 11/08 Sanitary Meter Reading  
47596 starting reading  
48389 ending reading

48389  
47596  
793cu/ft

$793\text{cu/ft} \times 7.48 = 5931 \text{div by } 22 = 269\text{gpd}$



## ANALYTICAL DATA REPORT

for  
Abuelito Cheese  
607 Main Street  
Paterson, NJ 07503

Project Name: PVSC MONITORING  
Lab Case Number: E08-13295

---



---

MDL = METHOD DETECTION LIMIT

---



---

## Metals

Lab ID: 13295-001  
Client ID: 01  
Matrix-Units: Aqueous-mg/L  
Percent Moisture: 100

Date Sampled: 11/19/2008  
Time Sampled: NA  
Date Analyzed: 12/2/08

Parameter	Result	Q	MDL
Cadmium	ND		0.001
Copper	ND		0.008
Lead	0.00287		0.002
Mercury	0.000749		0.0005
Nickel	ND		0.004
Zinc	0.252		0.008

## General Analytical


Lab ID: 13295-001  
Client ID: 01  
Percent Moisture: 100

Date Sampled: 11/19/2008  
Time Sampled: NA

Parameter	Result	MDL	Matrix-Units	Date Analyzed
Biochemical Oxygen Demand	10100	2.00	Aqueous-mg/L	11/19/2008 15:30
Total Suspended Solids	2430	250	Aqueous-mg/L	11/20/2008 11:00

ND = Analyzed for but Not Detected at the MDL

These data have been reviewed and accepted by:

  
Michael H. Leftin, Ph.D.  
Laboratory Director

273 Franklin Road  
Randolph, NJ 07869  
Phone: 973 361 4252  
Fax: 973 989 5288



IAL is a NELAP New Jersey Certified Lab (14781) and maintains certification in Connecticut (PH-0699), New York (11402), Rhode Island (00126), Pennsylvania (08-00773) and in the Department of Navy IR QA Program.

## MINI ENGRAINED ANALYTICAL LABORATORIES CHAIN OF CUSTODY

[illegible]